

WEST Search History



DATE: Wednesday, February 02, 2005

Hide? Set Name Query Hit Count				
		GPB,USPT,EPAB; THES=ASSIGNEE; PLUR=YES; OP=O	R	
	L1	cotton or (gossypium adj hirsutum)	106711	
	L2	(plant adj habit) near10 intermediate	121	
	L3	foliage near10 intermediate	85	
	L4	stem near10 erect	884	
	L5	growth near10 intermediate	3039	
	L6	leaf near10 (medium adj green)	1138	
	L7	leaf and (sparse near5 pubescence)	206	
	L8	leaf and (nectaries near5 present)	0	
	L9	glands and (calyx adj lobe and absent)	30	
	L10	flower and (petals or pollen near5 cream)	10496	
	L11	flower and (petal adj spot near5 absent)	.22	
	L12	fusarium adj wilt and resistant	138	
	L13	nematode and (moderately adj susceptible)	43	
	L14	don near5 keim.in.	16	
	L15	800/260,263-266,268,269,274,277-279,281,284,314.ccls.	4367	
	L16	435/410,421,427,430,430.1,468.ccls.	3584	
	L17	L1 and L2	11	
	L18	L17 and L3	7	
	L19	L18 and L4	2	
	L20	L19 and L5	1	
	L21	L20 and L6	0	
	L22	L18 and L6	0	
	L23	L18 and L7	5	
	L24	L23 and L8	0	
	L25	L23 and L9	5	
	L26	L25 and L10	5	
	L27	L26 and L11	3	
	L28	L27 and L12	2	
	L29	L28 and L13	0	
	L30	L1 and L14	15	

Cenerate Collection Print

Search Results - Record(s) 1 through 5 of 5 returned.

1. <u>20040168230</u> . 13 Nov 03. 26 Aug 04. <u>Cotton</u> cultivar DP 494 RR. Keim, Don L., et al. 800/31 435/410 435/430.1 435/468 800/260 800/266 800/274 800/278 800/281 800/298 800/300 800/301 800/302 A01H005/10 A01H001/00 C12N015/82 C12N005/04 A01H005/00 C12N015/90.
☐ 2. <u>20040117878</u> . 16 Oct 03. 17 Jun 04. <u>Cotton</u> cultivar 00W12. Bridge, Robert, et al. 800/314; A01H005/00.
3. 20030229928. 16 Oct 02. 11 Dec 03. Cotton cultivar DP 491. Keim, Don Lee. 800/314; 435/4 A01H005/00 C12N005/04.
4. <u>20030182695</u> . 28 Feb 03. 25 Sep 03. <u>Cotton</u> cultivar DP 449 BG/RR. Burdett, Lawrence, et al 800/314; A01H005/00.
5 6008438 17 Mar 98: 28 Dec 99 Cotton cultivar DP 2379 Keim: Don Lee 800/314: 435/427

Generate Collection 🗱 Print

800/260. A01H005/00 A01H004/00 A01H001/00 A01H005/10 A01G007/00.

Terms	Documents
L25 and L10	5

Prev Page Next Page Go to Doc#

```
10/807,867
FILE 'AGRICOLA' ENTERED AT 12:52:15 ON 02 FEB 2005
FILE 'CABA' ENTERED AT 12:52:15 ON 02 FEB 2005
COPYRIGHT (C) 2005 CAB INTERNATIONAL (CABI)
FILE 'BIOSIS' ENTERED AT 12:52:15 ON 02 FEB 2005
Copyright (c) 2005 The Thomson Corporation.
=> s cotton or (gossypium(w)hirsutum)
     125316 COTTON OR (GOSSYPIUM(W) HIRSUTUM)
=> s (plant(w)habit)(10a)intermediate
            9 (PLANT(W) HABIT) (10A) INTERMEDIATE
=> s foliage(10a)intermediate
           99 FOLIAGE(10A) INTERMEDIATE
=> s stem(10a)erect
          257 STEM(10A) ERECT
=> s growth(10a)intermediate
         3289 GROWTH(10A) INTERMEDIATE
=> s leaf(10a)(medium(w)green)
           19 LEAF(10A) (MEDIUM(W) GREEN)
=> s leaf and (sparse(5a)pubescence)
            7 LEAF AND (SPARSE(5A) PUBESCENCE)
=> s leaf and (nectaries(5a)present)
           11 LEAF AND (NECTARIES (5A) PRESENT)
=> s glands and (calyx(w)lobe and absent)
            O GLANDS AND (CALYX(W) LOBE AND ABSENT)
=> s flower and (petal(w)spot(5a)absent)
            O FLOWER AND (PETAL(W) SPOT(5A) ABSENT)
L11
=> s fusarium(w)wilt and resistant
         1582 FUSARIUM(W) WILT AND RESISTANT
=> s nematode and (moderately(w)susceptible)
          129 NEMATODE AND (MODERATELY(W) SUSCEPTIBLE)
=> s keim d/au
           19 KEIM D/AU
=> s L1 and L2
            1 L1 AND L2
=> s L1 and L3
            2 L1 AND L3
L16
=> s L1 and L4
L17
            2 L1 AND L4
=> s L1 and L5
           32 L1 AND L5
=> s L18 and L6
            0 L18 AND L6
=> s L18 and L7
            0 L18 AND L7
=> s L18 and L8
            0 L18 AND L8
=> s L18 and L10
            0 L18 AND L10
L22
```

ا المستم

```
L23
               1 L18 AND L12
=> s L18 and L13
L24
               0 L18 AND L13
=> s L1 and L14
L25
               0 L1 AND L14
L15
     ANSWER 1 OF 1 BIOSIS COPYRIGHT (c) 2005 The Thomson Corporation. on STN
      CYTO MORPHOLOGICAL STUDIES IN AN INTERGENERIC HYBRID BETWEEN
        ***GOSSYPIUM***
                            - ***HIRSUTUM***
                                                    2N EQUALS 52 AND HIBISCUS-
      PANDURAEFORMIS.
      Euphytica, (1980) Vol. 29, No. 2, pp. 323-330.
SO
      CODEN: EUPHAA. ISSN: 0014-2336.
      MEHETRE S S [Reprint author]; THOMBRE M V; TYYAB M A
ΑU
     ANSWER 1 OF 2 CABA COPYRIGHT 2005 CABI on STN Host plant effects on the activity of selected nuclear polyhedrosis viruses against the corn earworm and beet armyworm (Lepidoptera:
L16
ΤI
      Noctuidae).
      Environmental Entomology, (2000) Vol. 29, No. 1, pp. 108-115. 25 ref. Publisher: Entomological Society of America.
SO.
      ISSN: 0046-225X
ΑU
      Farrar, R. R., Jr.; Ridgway, R. L.
     ANSWER 2 OF 2 CABA COPYRIGHT 2005 CABI on STN Registration of 'Acala 1517-95' ***cotton***
L16
TI
      Crop Science, (1995) Vol. 35, No. 4, pp. 1227-1228. 3 ref.
SO
      ISSN: 0011-183X
ΑU
      Cantrell, R. G.; Roberts, C. L.; Barnes, C. E.
     ANSWER 1 OF 2 CABA COPYRIGHT 2005 CABI on STN ***Cotton*** variety Ogosta.
L17
ΤI
      Zemedelie, (1988) Vol. 86, No. 5, pp. 32.
Secondary Source: Abstracts of Bulgarian Scientific Literature, A (1989)
SO
      34 (1) Abst. 183
      Kunovska, A.
ΑU
L17
      ANSWER 2 OF 2 CABA COPYRIGHT 2005 CABI ON STN
      Cloth from bast fibre of the Calotropis procera (Aak) plant.
TI
      Biological Wastes, (1988) Vol. 26, No. 3, pp. 229-232. 2 ref.
SO
ΑU
      Varshney, A. C.; Bhoi, K. L
     ANSWER 1 OF 1 CABA COPYRIGHT 2005 CABI ON STN
L23
      A new ***cotton*** variety of low gossypol content - Zhemian 9.
TI
```

China Cottons, (1990) No. 5, pp. 23.

Yu, B. X.; Xia, R. B.; Wang, X. D.; Zhu, Q. G.; Qiu, X. M.

SO AU

~⇒ s 118 and L12